

Indicators from GP records

Lenora Lippmann , GPDV



GPDV is a QIC accredited organisation

Quantitative Indicators

- Number and % of GPs from whom the Division is receiving electronic patient records to provide feedback for quality improvement in diabetes care.
- Number and % of patients with diabetes whose most recent HbA1c in the past 12 months was: 7.0% or less; more than 7% but less than 10.0%; 10.0% or more; not measured/not recorded.

Quantitative Indicators

- Number and % of patients with diabetes whose most recent total cholesterol in the past 12 months was: less than 4.0 mmol/L; equal to or greater than 4.0 mmol/L; not measured.
- Number and % of patients on practice register/recall/reminder system with asthma aged 10 years and over in the 12 month reporting period with a record of smoking status.

Quantitative Indicators

- Number and % of patients on practice register/recall/reminder system with asthma aged 10 years and over in the 12 month reporting period with a record of smoking status.

Indicators re systematic practice support

- Division takes a systematic approach to support general practices/GPs to consistently capture and record Aboriginal and Torres Strait Islander origin for patients with diabetes on the practice register/recall/reminder system.
- Division takes a systematic approach to support general practices/GPs to consistently capture and record Aboriginal and Torres Strait Islander origin for patients with 3-step mental health plans on the practice register/recall/ reminder systems.

Indictors re systematic practice support

- Division takes a systematic approach to support general practices/GPs to consistently capture and record Aboriginal and Torres Strait Islander origin for patients with asthma.